



# Passive PoE Switch





## R&D Advantage

We have a large technical service team composed of 40 engineers, can provide OEM/ODM product customization, software function customization and other technical support. We are able to provide remote technical operation support within 24 hours, after-sales technical support such as real-time technical issues, video conferences, etc.



**>60**

SKUs developed per year




**>40**

R&D personnel



**>10 years**

Development experience



## Factory View

HRUI has achieved significant manufacturing environment advantage and a complete industrial layout after years of hard work and precipitation.



**2013**

Company established



**≥300**

Employees



**12000m<sup>2</sup>**


Industrial Plant



**≥250K pcs**

Production per Month

# Why choose HRUI ?



## Product quality and reliability

With Advanced Manufacturing Processes and quality testing all in Shenzhen, HRUI is being the approved vendor supplying switches to many OEM/ODM/JDM brand customers around the world.



## Factory Capability and Capacity

ISO9001/14001/45001 Manufacturing Lines; Capacity of over 2 Million pcs of switches per year. Qualified by lots of world famous brand customers, and audited by CE/Anatel/UL.



## Networking Product Development

>40 R&D personnel, >60 Switch SKUs developed per year, >10 years of experiences in developing networking switches and firmwares.



## Can Pass Regulatory Certificates

Capable of getting major regulatory certificates (CE, FCC,UL, CB, KC, ANATEL, etc.)

# Passive PoE Switch

			
Model	HR-FB-42N-24	HR-FB-82N-24	HR-FB-162G-200-24
Port Rate	4*FE PoE + 2*FE	8*FE PoE + 2*FE	16*FE PoE + 2*GE
Power Input	AC 100-240V	AC 100-240V	AC 100-240V
PoE Standard	24V	24V	24V
Total Power	48W	96W	200W
Bandwidth	1.2Gbps	2.0Gbps	7.2Gbps
VLAN	√	√	√
250m Extend	√	√	√
PoE Watchdog	/	/	/
Surge Protection	4KV	4KV	4KV
Product Size(mm)	200*118*44mm	200*118*44mm	320*207*45mm